

# Immunization Requirements by Age for Child Care

Required Vaccines	By 3 months	By 5 months	By 7 months	By 16 months	By 19 months	5-12 Years ◇
DTP/DTaP/DT*	1 dose	2 doses	3 doses	3 doses	4 doses	1 booster dose**
Polio	1 dose	2 doses	2 doses	2 doses	3 doses	1 booster dose**
Hib	1 dose	2 doses	2 or 3 doses depending on vaccine given***	1 booster dose after 1 <sup>st</sup> birthday	1 booster dose after 1 <sup>st</sup> birthday	N/A
MMR	None	None	None	1 dose after first birthday****	1 dose ****	1 dose
Varicella	None	None	None	None	1 dose*****	1 dose

\*If DT is given to a child less than seven years of age, it must be accompanied by a medical exemption for the pertussis component (ARM 37.114.705).

\*\*If a child receives four doses of DTP/DTaP/DT or Polio before the age of 4 years, a booster dose will be required.

\*\*\* A complete primary series of Hib vaccine is two doses of PRP-OMP (PedvaxHib) or 3 doses of ActHib or Pentacel.

\*\*\*\* MMR and Varicella may not be administered before the child is 12 months old.

◇ This **will apply** to children 5 -12 years that attend child care. School requirements may differ.